

## HJ G Gravity Return Hydraulic Cylinder

### Product information

Holmatro high tonnage cylinders (HJ) – Gravity return

**Unique specifications:**

- Flat saddle; prevents damage to the plunger, easy to replace with tilting saddle

**Standard supplied with:**

- High flow female coupler A118
- Flat saddle

**Also available:**

- Tilting saddles

**Also available:**

- Hydraulic pump units 700bar to control your system
- Hydraulic hoses 700bar
- System components to complete your hydraulic system

**Material:** Steel



Part code	Code	WLL ton	stroke length mm	Closed height mm	required oil cc	Type	Weight kg
5211100112073	HJ 50 G 6	50	60	142	425	-	12.5
5211100112035	HJ 50 G 15	50	150	282	1,064	I2	27
5211100112036	HJ 50 G 30	50	300	463	2,127	I2	39.5
5211100112093	HJ 100 G 6	100	60	158	860	I2	29
5211100112039	HJ 100 G 15	100	150	309	2,145	I1  mm	51
5211100112040	HJ 100 G 30	100	300	497	4,290	I1  mm	82
5211100112046	HJ 150 G 15	150	150	317	3,207	I1  mm	74.6
5211100112047	HJ 150 G 30	150	300	502	6,414	I1  mm	125.3
5211100112048	HJ 200 G 15	200	150	327	4,253	I1  mm	120
5211100112049	HJ 200 G 30	200	300	507	8,505	I1  mm	184
5211100112050	HJ 300 G 15	300	150	382	6,225	I1  mm	238
5211100112099	HJ 300 G 30	300	300	547	12,450	I1  mm	257

**Blueprint**

