



Snatch Block McKissick 407 Tail Board - Super Champion

Product information

General:

The McKissick snatch block 407 Champion from Crosby is a Tail board type snatch block. Can be delivered with bronze bushing (BB) and with roller bearing (RB).

Features:

- Bolt for opening feature is retained, to ensure no lost bolts.
- Opening feature permits easy insertion of rope without reeving, or while the block is suspended.
- Center pin equipped with pressure lube fitting.
- All sizes feature sheave grooves suited for a range of wire line diameters.
- Meets or exceeds all requirements of ASME B30.26 including identification ductility, design factor, proof load and temperature requirements.
- Meet other critical performance requirements including fatigue life and material traceability, not addressed by ASME B30.26.

Material: Forged steel.

Safety factor: 4:1

Part Code	WLL ton	Sheave dia. mm	Bearing Code	Wire Rope Size mm	A mm	B mm	C mm	D mm	E mm	F mm	G mm	Weight kg
--	20	203	BB	26-29	344	206	152	65	38	181	80	19.1
--	20	203	RB	26-29	344	206	152	65	38	181	80	19.1
--	20	254	BB	26-29	397	257	152	65	38	208	62	24.9
--	20	254	RB	26-29	397	257	152	65	38	208	62	24.9
--	20	305	BB	26-29	451	311	152	65	38	235	65	31.8
--	20	305	RB	26-29	451	311	152	65	38	235	65	31.8
--	20	356	BB	26-29	511	356	152	65	38	272	75	40.8
--	20	356	RB	26-29	511	356	152	65	38	272	75	40.8
--	25	457	BB	26-32	625	464	181	77	44	330	79	74.8
--	25	457	RB	26-32	625	464	181	77	44	330	79	74.8
--	30	508	BB	26-32	734	514	211	90	57	387	105	97.5
--	30	508	RB	26-32	734	514	211	90	57	387	105	97.5
--	30	610	BB	26-32	826	616	211	90	57	429	95	131.5
--	30	610	RB	26-32	826	616	211	90	57	429	95	131.5

Blueprint

