

Aluminium Hollow Plunger Cylinder HAHC H

Product information



Holmatro aluminium hollow plunger cylinders (HAHC) - Spring or hydraulic return

Unique specifications:

- Up to 60% lighter compared to steel cylinders - easy & ergonomic
- Compact design and a lower build-in
- Suitable for pulling, lifting, tensioning in all positions
- Duo power ring; a combination of a superior seal and an extremely strong composite bearing for a longer life span
- The plunger is coated with a hardened anodized layer, which makes it extremely wear & corrosion resistant

Standard supplied with:

- High flow female coupler A118
- Hollow saddle; prevents damage to the plunger
- Larger cylinders are equipped with foldable handles for easy carrying and positioning

Also available:

- Hydraulic pump units 700bar to control your system
- Hydraulic hoses 700bar
- System components to complete your hydraulic system

Material: Aluminium

| Part code | Code | WLL ton | stroke length mm | Closed height mm | required oil cc | Weight kg |
|------------------|-------------|--------------------|-----------------------------|-----------------------------|------------------------|----------------------|
| 5211100112381 | HAHC100H5 | 100 | 50 | 229 | 415 | 28.2 |
| 5211100112382 | HAHC100H10 | 100 | 100 | 279 | 831 | 34 |
| 5211100112383 | HAHC100H15 | 100 | 150 | 329 | 1,246 | 39.7 |
| 5211100112384 | HAHC100H20 | 100 | 200 | 379 | 1,661 | 45.4 |
| 5211100112385 | HAHC100H25 | 100 | 250 | 429 | 2,076 | 51.2 |
| 5211100112386 | HAHC150H5 | 150 | 50 | 247 | 471 | 41 |
| 5211100112387 | HAHC150H10 | 150 | 100 | 297 | 942 | 48.5 |
| 5211100112388 | HAHC150H15 | 150 | 150 | 347 | 1,414 | 56 |
| 5211100112389 | HAHC150H20 | 150 | 200 | 397 | 1,885 | 63.5 |
| 5211100112390 | HAHC150H25 | 150 | 250 | 447 | 2,356 | 71 |

Blueprint

