Lifting Solutions Group
Axel Johnson International

# Bridon® Dyform® Bristar® 8 Steel Wire Rope

**Product information**



Dyform Bristar 8 is a high performance compacted single layer constructed rope which incorporates an engineered extruded plastic profile between the 8 outer strands and the rope core for cranes and industrial applications including mobile, crawler and tower cranes.

**Standard:** EN 12385-4
**ISO 4309 Rope Category No:** 10-17mm **RCN.04**, 18-34mm **RCN.09**, 36-50mm **RCN.11**

... *Read more*

**Features:** High breaking force.
**Rope construction:** 8x26
**Material:** High Carbon Steel
**Marking:** According to standard
**Finish:** Galvanised or Ungalvanised
**Standard:** EN 12385-4

**Fill factor:** 0.68
**RCN:** 04

© November 2026 - All Rights Reserved

Lifting Solutions Group
Axel Johnson International

# Bridon® Dyform® Bristar® 8 Steel Wire Rope

## Technical data

| Part code | Rope diameter mm | Tensile strength N/mm² | Finish | Rope lay | Min. breaking force kN | Lubrication | Weight kg/100m |
|---|---|---|---|---|---|---|---|
| 103102405300709 | 24 | 2,160 | Galvanized | sS | 531 | SupplierStandard | 271 |

© November 2026 - All Rights Reserved