



Thimble DIN 3091

Product information

Protection of steel wire rope loops with hole for a bolt.

Design: Casted.

Marking: According to standard

Standard: DIN 3091

| Part code | Rope Ø range mm | A Not worked | A Min worked | A Max worked | B mm | C mm | L mm | Weight kg/100pc | Delivery time |
|--------------|-----------------|--------------|--------------|--------------|------|------|------|-----------------|---------------|
| 123100800070 | 8 | 14 | 17 | 20 | 40 | 15 | 66 | 18 | - |
| 123101000070 | 10 | 18 | 21 | 25 | 50 | 17,5 | 82 | 32 | - |
| 123101200070 | 12 | 21 | 24 | 30 | 60 | 20 | 98 | 52 | - |
| 123101400070 | 14 | 25 | 29 | 35 | 70 | 23,5 | 114 | 80 | - |
| 123101600070 | 16 | 28 | 32 | 40 | 80 | 26 | 130 | 90 | - |
| 123101800070 | 18 | 31 | 35 | 45 | 90 | 28,5 | 145 | 121 | - |
| 123102000070 | 20 | 35 | 40 | 50 | 100 | 31 | 161 | 161 | - |
| 123102200070 | 22 | 38 | 43 | 55 | 110 | 33,5 | 177 | 211 | 3 |
| 123102400070 | 24 | 41 | 46 | 60 | 120 | 36 | 193 | 271 | 3 |
| 123102600070 | 26 | 44 | 49 | 65 | 130 | 39,5 | 209 | 355 | 3 |
| 123102800070 | 28 | 47 | 52 | 70 | 140 | 42 | 224 | 420 | 3 |
| 123103200070 | 32 | 53 | 58 | 80 | 160 | 47 | 256 | 630 | 3 |
| 123103600070 | 36 | 59 | 65 | 90 | 180 | 53 | 288 | 884 | - |
| 123104000070 | 40 | 65 | 71 | 100 | 200 | 58 | 320 | 1,100 | - |
| 123104400070 | 44 | 70 | 76 | 110 | 220 | 63 | 352 | 1,500 | - |
| 123104800070 | 48 | 76 | 82 | 120 | 240 | 69 | 384 | 2,000 | 3 |

Blueprint

