Lifting Solutions Group
Axel Johnson International

# Chain sling 1-leg with safety hook, grade 8

## Product information



1-Leg chain sling assembly equipped with safety hook and grab hook. Alternative ends are also available, e.g. foundry hooks, shackles etc. Slings are equipped with a load plate.

... *Read more*

**Material:** Steel
**Marking:** According to standard, CE-mark
**Temperature range:** -40 °C up to +200°C
**Finish:** Painted, black / yellow
**Standard:** EN 818-4
**Warning:** Not to be heat-treated

**Safety factor:** 4:1
**Grade:** 8

© November 2026 - All Rights Reserved

# Chain sling 1-leg with safety hook, grade 8

## Technical data

| Part code | Chain diameter mm | WLL ton | EWL m | Weight kg |
|---|---|---|---|---|
| 230500600100130 | 6 | 1.12 | 1 | 3.36 |
| 230500600200130 | 6 | 1.12 | 2 | 4.77 |
| 230500600300130 | 6 | 1.12 | 3 | 6.19 |
| 230500600400130 | 6 | 1.12 | 4 | 7.61 |
| 230500600500130 | 6 | 1.12 | 5 | 9.03 |
| 230500600600130 | 6 | 1.12 | 6 | 10.45 |
| 230500600700130 | 6 | 1.12 | 7 | 11.87 |
| 230500600800130 | 6 | 1.12 | 8 | 13.29 |
| 230500800100130 | 8 | 2 | 1 | 3.36 |
| 230500800200130 | 8 | 2 | 2 | 4.77 |
| 230500800300130 | 8 | 2 | 3 | 6.19 |
| 230500800400130 | 8 | 2 | 4 | 7.61 |
| 230500800500130 | 8 | 2 | 5 | 9.03 |
| 230500800600130 | 8 | 2 | 6 | 10.45 |
| 230500800700130 | 8 | 2 | 7 | 11.87 |
| 230500800800130 | 8 | 2 | 8 | 13.29 |
| 230501000100130 | 10 | 3.15 | 1 | 5.58 |
| 230501000200130 | 10 | 3.15 | 2 | 7.79 |
| 230501000300130 | 10 | 3.15 | 3 | 10.01 |
| 230501000400130 | 10 | 3.15 | 4 | 12.23 |
| 230501000500130 | 10 | 3.15 | 5 | 14.45 |
| 230501000600130 | 10 | 3.15 | 6 | 16.67 |
| 230501000700130 | 10 | 3.15 | 7 | 18.89 |
| 230501000800130 | 10 | 3.15 | 8 | 21.11 |
| 230501300100130 | 13 | 5.3 | 1 | 10.62 |
| 230501300200130 | 13 | 5.3 | 2 | 14.37 |
| 230501300300130 | 13 | 5.3 | 3 | 18.12 |
| 230501300400130 | 13 | 5.3 | 4 | 21.87 |
| 230501300500130 | 13 | 5.3 | 5 | 25.62 |
| 230501300600130 | 13 | 5.3 | 6 | 29.37 |
| 230501300700130 | 13 | 5.3 | 7 | 33.12 |

© November 2026 - All Rights Reserved

CERTEX | Lifting Solutions Group
Axel Johnson International

# Chain sling 1-leg with safety hook, grade 8

## Technical data

| Part code | Chain diameter mm | WLL ton | EWL m | Weight kg |
|---|---|---|---|---|
| 230501300800130 | 13 | 5.3 | 8 | 36.87 |
| 230501600100130 | 16 | 8 | 1 | 17.51 |
| 230501600200130 | 16 | 8 | 2 | 23.08 |
| 230501600300130 | 16 | 8 | 3 | 28.65 |
| 230501600400130 | 16 | 8 | 4 | 34.22 |
| 230501600500130 | 16 | 8 | 5 | 39.79 |
| 230501600600130 | 16 | 8 | 6 | 45.36 |
| 230501600700130 | 16 | 8 | 7 | 50.93 |
| 230501600800130 | 16 | 8 | 8 | 56.5 |
| 230502000200130 | 20 | 12.5 | 2 | 37.4 |
| 230502000300130 | 20 | 12.5 | 3 | 46.5 |
| 230502000400130 | 20 | 12.5 | 4 | 55.6 |
| 230502000500130 | 20 | 12.5 | 5 | 64.7 |
| 230502000600130 | 20 | 12.5 | 6 | 73.8 |
| 230502000700130 | 20 | 12.5 | 7 | 82.9 |
| 230502000800130 | 20 | 12.5 | 8 | 92 |
| 230502200200130 | 22 | 15 | 2 | 55.4 |
| 230502200300130 | 22 | 15 | 3 | 66.4 |
| 230502200400130 | 22 | 15 | 4 | 77.4 |
| 230502200500130 | 22 | 15 | 5 | 88.4 |
| 230502200600130 | 22 | 15 | 6 | 99.4 |
| 230502200700130 | 22 | 15 | 7 | 110.4 |
| 230502200800130 | 22 | 15 | 8 | 121.4 |
| 230502600200130 | 26 | 21.2 | 2 | 74.2 |
| 230502600300130 | 26 | 21.2 | 3 | 89.5 |
| 230502600400130 | 26 | 21.2 | 4 | 104.8 |
| 230502600500130 | 26 | 21.2 | 5 | 120.1 |
| 230502600600130 | 26 | 21.2 | 6 | 135.4 |
| 230502600700130 | 26 | 21.2 | 7 | 150.7 |
| 230502600800130 | 26 | 21.2 | 8 | 166 |

© November 2026 - All Rights Reserved